


ARK-LES NYLON PARTIALLY INSULATED RING TERMINAL




- NOTES:
 1) ALL DIMENSIONS ARE IN INCHES.
 2) ALL DIMENSIONS ARE REFERENCE ONLY.



Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7501188	.240 ring	22-18	0	.031	Red	.240	.825	.237
7501268	.240 ring	22-18	2	.031	Red	.240	.825	.237
7501348	.240 ring	22-18	4	.031	Red	.240	.825	.237
7501428	.240 ring	22-18	6	.031	Red	.240	.825	.237
7503098	.300 ring	22-18	4	.031	Red	.300	.918	.237
7503218	.300 ring	22-18	6	.031	Red	.300	.918	.237
7503488	.300 ring	22-18	8	.031	Red	.300	.918	.237
7503608	.300 ring	22-18	10	.031	Red	.300	.918	.237
7505318	.380 ring	22-18	6	.031	Red	.380	.992	.237
7505438	.380 ring	22-18	8	.031	Red	.380	.992	.237
7505708	.380 ring	22-18	10	.031	Red	.380	.992	.237
7505828	.380 ring	22-18	1/4	.031	Red	.380	.992	.237
7505948	.380 ring	22-18	12	.031	Red	.380	.992	.237
7507268	.500 ring	22-18	10	.031	Red	.500	1.130	.237
7507388	.500 ring	22-18	1/4	.031	Red	.500	1.130	.237
7507508	.500 ring	22-18	5/16	.031	Red	.500	1.130	.237
7507638	.500 ring	22-18	3/8	.031	Red	.500	1.130	.237
7501228	.240 ring	16-14	0	.031	Blue	.240	.825	.274
7501308	.240 ring	16-14	2	.031	Blue	.240	.825	.274
7501388	.240 ring	16-14	4	.031	Blue	.240	.825	.274
7501468	.240 ring	16-14	6	.031	Blue	.240	.825	.274
7503138	.300 ring	16-14	4	.031	Blue	.300	.918	.274
7503258	.300 ring	16-14	6	.031	Blue	.300	.918	.274
7503528	.300 ring	16-14	8	.031	Blue	.300	.918	.274
7503648	.300 ring	16-14	10	.031	Blue	.300	.918	.274
7507358	.380 ring	16-14	6	.031	Blue	.380	.992	.274
7505478	.380 ring	16-14	8	.031	Blue	.380	.992	.274
7505748	.380 ring	16-14	10	.031	Blue	.380	.992	.274
7505868	.380 ring	16-14	1/4	.031	Blue	.380	.992	.274
7505988	.380 ring	16-14	12	.031	Blue	.380	.992	.274
7507308	.500 ring	16-14	10	.031	Blue	.500	1.130	.274
7507428	.500 ring	16-14	1/4	.031	Blue	.500	1.130	.274
7507548	.500 ring	16-14	5/16	.031	Blue	.500	1.130	.274
7507648	.625 ring	16-14	3/8	.031	Blue	.625	1.325	.274
7503178	.300 ring	12-10	4	.040	Yellow	.300	1.016	.334
7503298	.300 ring	12-10	6	.040	Yellow	.300	1.016	.334
7503568	.300 ring	12-10	8	.040	Yellow	.300	1.016	.334
7503688	.300 ring	12-10	10	.040	Yellow	.300	1.016	.334
7505398	.380 ring	12-10	6	.040	Yellow	.380	1.090	.334
7505518	.380 ring	12-10	8	.040	Yellow	.380	1.090	.334
7505788	.380 ring	12-10	10	.040	Yellow	.380	1.090	.334
7505908	.380 ring	12-10	1/4	.040	Yellow	.380	1.090	.334
7506028	.380 ring	12-10	12	.040	Yellow	.380	1.090	.334
7507348	.500 ring	12-10	10	.040	Yellow	.500	1.228	.334
7507468	.500 ring	12-10	1/4	.040	Yellow	.500	1.228	.334
7507588	.500 ring	12-10	5/16	.040	Yellow	.500	1.228	.334
7507728	.625 ring	12-10	3/8	.040	Yellow	.625	1.376	.334

ARK-LES NYLON PARTIALLY INSULATED SPADE TERMINAL



Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7500018	.240 spade	22-18	0	.031	Red	.240	.825	.237
7500098	.240 spade	22-18	2	.031	Red	.240	.825	.237
7500178	.240 spade	22-18	4	.031	Red	.240	.825	.237
7500258	.240 spade	22-18	6	.031	Red	.240	.825	.237
7501658	.300 spade	22-18	4	.031	Red	.300	.918	.237
7501778	.300 spade	22-18	6	.031	Red	.300	.918	.237
7501898	.300 spade	22-18	8	.031	Red	.300	.918	.237
7502018	.300 spade	22-18	10	.031	Red	.300	.918	.237
7503708	.380 spade	22-18	6	.031	Red	.380	.992	.237
7503998	.380 spade	22-18	8	.031	Red	.380	.992	.237
7504118	.380 spade	22-18	10	.031	Red	.380	.992	.237
7506098	.500 spade	22-18	10	.031	Red	.500	1.13	.237
7506218	.500 spade	22-18	1/4	.031	Red	.500	1.13	.237
7500058	.240 spade	16-14	0	.031	Blue	.240	.825	.274
7500138	.240 spade	16-14	2	.031	Blue	.240	.825	.274
7500218	.240 spade	16-14	4	.031	Blue	.240	.825	.274
7500298	.240 spade	16-14	6	.031	Blue	.240	.825	.274
7501698	.300 spade	16-14	4	.031	Blue	.300	.918	.274
7501818	.300 spade	16-14	6	.031	Blue	.300	.918	.274
7501938	.300 spade	16-14	8	.031	Blue	.300	.918	.274
7502058	.300 spade	16-14	10	.031	Blue	.300	.918	.274
7503918	.380 spade	16-14	6	.031	Blue	.380	.992	.274
7504038	.380 spade	16-14	8	.031	Blue	.380	.992	.274
7504158	.380 spade	16-14	10	.031	Blue	.380	.992	.274
7506138	.500 spade	16-14	10	.031	Blue	.500	1.13	.274
7506258	.500 spade	16-14	1/4	.031	Blue	.500	1.13	.274
7501738	.300 spade	12-10	4	.040	Yellow	.300	1.016	.334
7501858	.300 spade	12-10	6	.040	Yellow	.300	1.016	.334
7501978	.300 spade	12-10	8	.040	Yellow	.300	1.016	.334
7502098	.300 spade	12-10	10	.040	Yellow	.300	1.016	.334
7503958	.380 spade	12-10	6	.040	Yellow	.380	1.090	.334
7504078	.380 spade	12-10	8	.040	Yellow	.380	1.090	.334
7504198	.380 spade	12-10	10	.040	Yellow	.380	1.090	.334
7506178	.500 spade	12-10	10	.040	Yellow	.500	1.228	.334
7506298	.500 spade	12-10	1/4	.040	Yellow	.500	1.228	.334


NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES.
- 2) ALL DIMENSIONS ARE REFERENCE ONLY.



ARK-LES NYLON PARTIALLY INSULATED SNAP SPADE TERMINAL


Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7507808	.250 snap spade	22-18	6	.031	Red	.250	.867	.237
7507868	.280 snap spade	22-18	8	.031	Red	.280	.867	.237
7507928	.330 snap spade	22-18	10	.031	Red	.330	.867	.237
7507828	.250 snap spade	16-14	6	.031	Blue	.250	.867	.274
7507888	.280 snap spade	16-14	8	.031	Blue	.280	.867	.274
7507948	.330 snap spade	16-14	10	.031	Blue	.330	.867	.274
7507848	.250 snap spade	12-10	6	.040	Yellow	.250	.973	.334
7507908	.280 snap spade	12-10	8	.040	Yellow	.280	.973	.334
7507968	.330 snap spade	12-10	10	.040	Yellow	.330	.973	.334



- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES.
 - 2) ALL DIMENSIONS ARE REFERENCE ONLY.



ARK-LES NYLON PARTIALLY INSULATED FLANGED SPADE TERMINAL




NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES.
- 2) ALL DIMENSIONS ARE REFERENCE ONLY.



Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7500408	.240 flanged spade	22-18	0	.031	Red	.240	.825	.237
7500488	.240 flanged spade	22-18	2	.031	Red	.240	.825	.237
7500568	.240 flanged spade	22-18	4	.031	Red	.240	.825	.237
7500648	.240 flanged spade	22-18	6	.031	Red	.240	.825	.237
7502138	.300 flanged spade	22-18	4	.031	Red	.300	.918	.237
7502258	.300 flanged spade	22-18	6	.031	Red	.300	.918	.237
7502378	.300 flanged spade	22-18	8	.031	Red	.300	.918	.237
7502498	.300 flanged spade	22-18	10	.031	Red	.300	.918	.237
7504358	.380 flanged spade	22-18	6	.031	Red	.380	.992	.237
7504478	.380 flanged spade	22-18	8	.031	Red	.380	.992	.237
7504598	.380 flanged spade	22-18	10	.031	Red	.380	.992	.237
7506488	.500 flanged spade	22-18	10	.031	Red	.500	1.13	.237
7506608	.500 flanged spade	22-18	1/4	.031	Red	.500	1.13	.237
7500448	.240 flanged spade	16-14	0	.031	Blue	.240	.825	.274
7500528	.240 flanged spade	16-14	2	.031	Blue	.240	.825	.274
7500608	.240 flanged spade	16-14	4	.031	Blue	.240	.825	.274
7500688	.240 flanged spade	16-14	6	.031	Blue	.240	.825	.274
7501278	.300 flanged spade	16-14	4	.031	Blue	.300	.918	.274
7502298	.300 flanged spade	16-14	6	.031	Blue	.300	.918	.274
7502418	.300 flanged spade	16-14	8	.031	Blue	.300	.918	.274
7502538	.300 flanged spade	16-14	10	.031	Blue	.300	.918	.274
7504398	.380 flanged spade	16-14	6	.031	Blue	.380	.992	.274
7504518	.380 flanged spade	16-14	8	.031	Blue	.380	.992	.274
7504638	.380 flanged spade	16-14	10	.031	Blue	.380	.992	.274
7506528	.500 flanged spade	16-14	10	.031	Blue	.500	1.13	.274
7506648	.500 flanged spade	16-14	1/4	.031	Blue	.500	1.13	.274
7502218	.300 flanged spade	12-10	4	.040	Yellow	.300	1.016	.334
7502338	.300 flanged spade	12-10	6	.040	Yellow	.300	1.016	.334
7502458	.300 flanged spade	12-10	8	.040	Yellow	.300	1.016	.334
7502578	.300 flanged spade	12-10	10	.040	Yellow	.300	1.016	.334
7504438	.380 flanged spade	12-10	6	.040	Yellow	.380	1.090	.334
7504558	.380 flanged spade	12-10	8	.040	Yellow	.380	1.090	.334
7504678	.380 flanged spade	12-10	10	.040	Yellow	.380	1.090	.334
7506568	.500 flanged spade	12-10	10	.040	Yellow	.500	1.228	.334
7506688	.500 flanged spade	12-10	1/4	.040	Yellow	.500	1.228	.334

ARK-LES NYLON PARTIALLY INSULATED SQUARE SPADE TERMINAL



NOTES:


- 1) ALL DIMENSIONS ARE IN INCHES
- 2) ALL DIMENSIONS ARE REFERENCE ONLY.



Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7500798	.240 square spade	22-18	0	.031	Red	.240	.825	.237
7500878	.240 square spade	22-18	2	.031	Red	.240	.825	.237
7500958	.240 square spade	22-18	4	.031	Red	.240	.825	.237
7501038	.240 square spade	22-18	6	.031	Red	.240	.825	.237
7502618	.300 square spade	22-18	4	.031	Red	.300	.918	.237
7502738	.300 square spade	22-18	6	.031	Red	.300	.918	.237
7502858	.300 square spade	22-18	8	.031	Red	.300	.918	.237
7502978	.300 square spade	22-18	10	.031	Red	.300	.918	.237
7504838	.380 square spade	22-18	6	.031	Red	.380	.992	.237
7504958	.380 square spade	22-18	8	.031	Red	.380	.992	.237
7505078	.380 square spade	22-18	10	.031	Red	.380	.992	.237
7506878	.500 square spade	22-18	10	.031	Red	.500	1.130	.237
7506998	.500 square spade	22-18	1/4	.031	Red	.500	1.130	.237
7500838	.240 square spade	16-14	0	.031	Blue	.240	.825	.274
7500918	.240 square spade	16-14	2	.031	Blue	.240	.825	.274
7500998	.240 square spade	16-14	4	.031	Blue	.240	.825	.274
7501078	.240 square spade	16-14	6	.031	Blue	.240	.825	.274
7502658	.300 square spade	16-14	4	.031	Blue	.300	.918	.274
7502778	.300 square spade	16-14	6	.031	Blue	.300	.918	.274
7502898	.300 square spade	16-14	8	.031	Blue	.300	.918	.274
7503018	.300 square spade	16-14	10	.031	Blue	.300	.918	.274
7504878	.380 square spade	16-14	6	.031	Blue	.380	.992	.274
7504998	.380 square spade	16-14	8	.031	Blue	.380	.992	.274
7505118	.380 square spade	16-14	10	.031	Blue	.380	.992	.274
7506918	.500 square spade	16-14	10	.031	Blue	.500	1.13	.274
7507038	.500 square spade	16-14	1/4	.031	Blue	.500	1.13	.274
7502698	.300 square spade	12-10	4	.040	Yellow	.300	1.016	.334
7502818	.300 square spade	12-10	6	.040	Yellow	.300	1.016	.334
7502938	.300 square spade	12-10	8	.040	Yellow	.300	1.016	.334
7503058	.300 square spade	12-10	10	.040	Yellow	.300	1.016	.334
7504918	.380 square spade	12-10	6	.040	Yellow	.380	1.090	.334
7505038	.380 square spade	12-10	8	.040	Yellow	.380	1.090	.334
7505158	.380 square spade	12-10	10	.040	Yellow	.380	1.090	.334
7506958	.500 square spade	12-10	10	.040	Yellow	.500	1.228	.334
7507078	.500 square spade	12-10	1/4	.040	Yellow	.500	1.228	.334

ARK-LES NYLON PARTIALLY INSULATED HOOK TERMINAL


Part #	Description	AWG	Stud Size	Material Thickness	Insulator Color	A	B	C
7508003008	.300 hook	22-18	4	.031	Red	.300	.918	.237
7508083008	.300 hook	22-18	6	.031	Red	.300	.918	.237
7508163008	.300 hook	22-18	8	.031	Red	.300	.918	.237
7508043008	.300 hook	16-14	4	.031	Blue	.300	.918	.274
7508123008	.300 hook	16-14	6	.031	Blue	.300	.918	.274
7508203008	.300 hook	16-14	8	.031	Blue	.300	.918	.274



- NOTES:
 1) ALL DIMENSIONS IN INCHES.
 2) ALL DIMENSIONS ARE REFERENCE ONLY.



ARK-LES NYLON FULLY INSULATED IN-LINE RECEPTACLE




Part No.	Description	Wire Size (AWG)	Insulator Color	A	B	C
73000132218	.250x.032 Receptacle	22-18	Red	.870	.360	.200
73000131614	.250x.032 Receptacle	16-14	Blue	.870	.360	.220
73000131210	.250x.032 Receptacle	12-10	Yellow	.870	.360	.300
73500132218	.187x.032 Receptacle	22-18	Red	.870	.300	.200
73500131614	.187x.032 Receptacle	16-14	Blue	.870	.300	.220
73500122218	.187x.020 Receptacle	22-18	Red	.870	.300	.200
73500121614	.187x.020 Receptacle	16-14	Blue	.870	.300	.220

- NOTES:
- 1) ALL DIMENSIONS ARE IN INCHES.
 - 2) ALL DIMENSIONS ARE REFERENCE ONLY.



ARK-LES PARTIALLY INSULATED RECEPTACLE




Part #	Description	AWG	Material Thickness	Insulator Color	A	B
7509028	.250x.032 receptacle	22-18	.020	Red	.928	.238
7509068	.250x.032 receptacle	16-14	.020	Blue	.928	.274
7509388	.250x.032 receptacle	12-10	.020	Yellow	.979	.334
7509328	.187x.032 receptacle	22-18	.016	Red	.801	.238
7509348	.187x.032 receptacle	16-14	.016	Blue	.801	.275
7509148	.187x.020 receptacle	22-18	.020	Red	.801	.238
7509188	.187x.020 receptacle	16-14	.020	Blue	.801	.274

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES.
- 2) ALL DIMENSIONS ARE REFERENCE ONLY.



ARK-LES PARTIALLY INSULATED TAB



Part Number	Description	AWG	Insulator Color	A	B
7509608	.250x.032 tab	22-18	Red	.934	.238
7509628	.250x.032 tab	16-14	Blue	.934	.274
7509728	.187x.032 tab	22-18	Red	.839	.238
7509748	.187x.032 tab	16-14	Blue	.839	.274
7509688	.187x.020 tab	22-18	Red	.839	.238
7509708	.187x.020 tab	16-14	Blue	.839	.274
7509868	.110x.032 tab	22-18	Red	.877	.238
7509848	.110x.020 tab	22-18	Red	.877	.274

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES.
- 2) ALL DIMENSIONS ARE REFERENCE ONLY.

